



Boulevard Mix (City of Toronto - Type 3)

This blend is a custom designed planting soil used in urban planting projects.

- o Produced using coarse sand, topsoil, and bark fines.

This product meets the requirements of the **City of Toronto Type 3 Boulevard Mix** Construction Specifications for Growing Medium TS 5.10.05.07 April 2014

Component proportions by volume:

Sandy Loam Topsoil	40 - 45%
Coarse Sand	40 - 50%
Pine Bark Fines	12 - 15%

Typical Analysis:

Medium to coarse Sand	> 45%
Total combined silt and clay	18 – 35%
pH	6.0 - 7.5
CEC (MEQ/100g)	> 25
Phosphorous (ppm)	10 - 60
Potassium (ppm)	80 – 250
Calcium (ppm)	< 5000
Magnesium (ppm)	100 – 300
Total Salts (mmhos/cm)	< 1.5
Percent Organic Matter	3 – 5%